

# Εγκατάσταση μόντεμ τρίτου κατασκευαστή |

## Third party manufacturer modem set up

Ρυθμίσεις για την εγκατάσταση μόντεμ τρίτου κατασκευαστή |  
Settings for third party manufacturer modem

---

## Σύνδεση ADSL | ADSL Connection

Automatically detect IP

Connection Protocol : PPPoE

VPI: 8

VCI: 42

Primary DNS: 195.14.130.220

Secondary DNS: 195.14.130.170

Username: (Dummy Field)

Password: (Dummy Field)

### Advanced Settings

Modulation Type: ADSL2 plus

Encapsulation Type: LLC

MTU: 1492

## Σύνδεση VDSL | VDSL Connection

Automatically detect IP

Connection Protocol : PPPoE

VPI: 8

VCI: 42

Primary DNS: 195.14.130.220

Secondary DNS: 195.14.130.170

Username: (Dummy Field)

Password: (Dummy Field)

### **Advanced Settings**

Modulation Type: VDSL2

Encapsulation Type: LLC

MTU: 1492

## Σύνδεση Fiber | Fiber Connection

Automatically detect IP

Connection Protocol : PPPoE

VPI: 8

VCI: 42

Primary DNS: 195.14.130.220

Secondary DNS: 195.14.130.170

Username: (Dummy Field)

Password: (Dummy Field)

### Advanced Settings

Modulation Type: WAN or ETHERNET or INTERNET

Encapsulation Type: LLC

MTU: 1492